? logon

```
*** It is now 2009/07/16 10:25:47 ***
 (Dialog time 2009/07/16 09:25:47)

705TEXT1 is set ON as an alias for 15, 16, 160, 148, 621, 275, 634, 47
705TEXT2 is set ON as an alias for 9, 623, 810, 624, 813, 20, 636
705BIBLIT is set ON as an alias for 77, 35, 583, 2, 65, 233, 99
705NEWSBIB is set ON as an alias for 473, 474, 475
SOFTLIT is set ON as an alias for 256, 278
705ADLIT is set ON as an alias for 635, 570, PAPERSMJ, PAPERSEU
HILIGHT set on as ''  ''
DETAIL set off
KWIC is set to 50.
```

? b
610,613,634,810,813,20,583,474,475,35,65,99,256,9,15,16,148,160,275,621,636,624,2,476, 635, 570, PAPERSMJ, PAPERSEU, 47,347,348,349

```
>>>         476 does not exist
>>>1 of the specified files is not available
       16jul09 08:28:38 User264751 Session D620.1
            $0.00    0.251 DialUnits File415
     $0.00  Estimated cost File415
     $0.80  INTERNET
     $0.80  Estimated cost this search
     $0.80  Estimated total session cost   0.251 DialUnits

SYSTEM:OS  - DIALOG OneSearch
  File 610:Business Wire 1999-2009/Jul 16
         (c) 2009 Business Wire.
*File 610: File 610 now contains data from 3/99 forward.
Archive data (1986-2/99) is available in File 810.
  File 613:PR Newswire 1999-2009/Jul 15
         (c) 2009 PR Newswire Association Inc
*File 613: File 613 now contains data from 5/99 forward.
Archive data (1987-4/99) is available in File 813.
  File 634:San Jose Mercury  Jun 1985-2009/Jul 14
         (c) 2009 San Jose Mercury News
  File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
  File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
  File  20:Dialog Global Reporter 1997-2009/Jul 15
         (c) 2009 Dialog
  File 583:Gale Group Globalbase(TM) 1986-2002/Dec 13
         (c) 2002 Gale/Cengage
*File 583: This file is no longer updating as of 12-13-2002.
  File 474:New York Times Abs 1969-2009/Jul 16
         (c) 2009 The New York Times
  File 475:Wall Street Journal Abs 1973-2009/Jul 16
         (c) 2009 The New York Times
  File  35:Dissertation Abs Online 1861-2009/Jun
         (c) 2009 ProQuest Info&Learning
  File  65:Inside Conferences 1993-2009/Jul 14
         (c) 2009 BLDSC all rts. reserv.
```

```
  File  99:Wilson Appl. Sci & Tech Abs 1983-2009/Jun
        (c) 2009 The HW Wilson Co.
  File 256:TecTrends 1982-2009/Jul W2
        (c) 2009 Info.Sources Inc. All rights res.
  File   9:Business & Industry(R) Jul/1994-2009/Jul 15
        (c) 2009 Gale/Cengage
  File  15:ABI/Inform(R) 1971-2009/Jul 15
        (c) 2009 ProQuest Info&Learning
  File  16:Gale Group PROMT(R) 1990-2009/Jun 23
        (c) 2009 Gale/Cengage
*File  16: UD/banner does not reflect last processed date
  File 148:Gale Group Trade & Industry DB 1976-2009/Jun 30
        (c) 2009 Gale/Cengage
*File 148: The CURRENT feature is not working in File 148.
See HELP NEWS148.
  File 160:Gale Group PROMT(R) 1972-1989
        (c) 1999 The Gale Group
  File 275:Gale Group Computer DB(TM) 1983-2009/Jun 17
        (c) 2009 Gale/Cengage
  File 621:Gale Group New Prod.Annou.(R) 1985-2009/Jun 09
        (c) 2009 Gale/Cengage
  File 636:Gale Group Newsletter DB(TM) 1987-2009/Jun 23
        (c) 2009 Gale/Cengage
  File 624:McGraw-Hill Publications 1985-2009/Jul 16
        (c) 2009 McGraw-Hill Co. Inc
  File   2:INSPEC 1898-2009/Jul W1
        (c) 2009 The IET
  File 635:Business Dateline(R) 1985-2009/Jul 15
        (c) 2009 ProQuest Info&Learning
  File 570:Gale Group MARS(R) 1984-2009/Jun 23
        (c) 2009 Gale/Cengage
  File 387:The Denver Post 1994-2009/Jul 15
        (c) 2009 Denver Post
  File 471:New York Times Fulltext 1980-2009/Jul 15
        (c) 2009 The New York Times
  File 492:Arizona Repub/Phoenix Gaz 19862002/Jan 06
        (c) 2002 Phoenix Newspapers
*File 492: File 492 is closed (no longer updating).  Use
Newsroom, Files 989 and 990, for current records.
  File 494:St LouisPost-Dispatch 1988-2009/Jun 19
        (c) 2009 St Louis Post-Dispatch
  File 631:Boston Globe 1980-2009/Jul 16
        (c) 2009 Boston Globe
  File 633:Phil.Inquirer 1983-2009/Jul 16
        (c) 2009 Philadelphia Newspapers Inc
  File 638:Newsday/New York Newsday 1987-2009/Jul 16
        (c) 2009 Newsday Inc.
  File 640:San Francisco Chronicle 1988-2009/Jul 12
        (c) 2009 Chronicle Publ. Co.
  File 641:Rocky Mountain News Jun 1989-2009/Jan 16
        (c) 2009 Scripps Howard News
*File 641: This file has ceased updating
  File 702:Miami Herald 1983-2009/Jul 16
        (c) 2009 The Miami Herald Publishing Co.
  File 703:USA Today 1989-2009/Jul 15
        (c) 2009 USA Today
  File 704:(Portland)The Oregonian 1989-2009/Jul 15
```

```
        (c) 2009 The Oregonian
  File 713:Atlanta J/Const. 1989-2009/Mar 08
        (c) 2009 Atlanta Newspapers
  File 714:(Baltimore) The Sun 1990-2009/Jul 12
        (c) 2009 Baltimore Sun
  File 715:Christian Sci.Mon. 1989-2009/Jul 14
        (c) 2009 Christian Science Monitor
  File 725:(Cleveland)Plain Dealer Aug 1991-2009/Jul 15
        (c) 2009 The Plain Dealer
  File 735:St. Petersburg Times 1989- 2009/May 22
        (c) 2009 St. Petersburg Times
  File 477:Irish Times 1999-2009/Jul 16
        (c) 2009 Irish Times
  File 710:Times/Sun.Times(London) Jun 1988-2009/Jul 15
        (c) 2009 Times Newspapers
  File 711:Independent(London) Sep 1988-2006/Dec 12
        (c) 2006 Newspaper Publ. PLC
*File 711: This file does not update.  See NewsRoom for full
daily coverage from many European sources.
  File 756:Daily/Sunday Telegraph 2000-2009/Jul 16
        (c) 2009 Telegraph Group
  File 757:Mirror Publications/Independent Newspapers 2000-2009/Jul 14
        (c) 2009
  File  47:Gale Group Magazine DB(TM) 1959-2009/Jul 03
        (c) 2009 Gale/Cengage
  File 347:JAPIO Dec 1976-2009/Mar(Updated 090708)
        (c) 2009 JPO & JAPIO
  File 348:EUROPEAN PATENTS 1978-200928
        (c) 2009 European Patent Office
  File 349:PCT FULLTEXT 1979-2009/UB=20090709|UT=20090702
        (c) 2009 WIPO/Thomson

      Set   Items   Description
      ---   -----   -----------
```

? S AU=(namba, t OR namba t? OR takaaki(2N)namba) OR BY=(takaaki(2N)namba)

```
>>>One or more prefixes are unsupported
>>>  or undefined in one or more files.
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
               0  AU=NAMBA, T
              75  AU=NAMBA T?
            3405  AU=TAKAAKI
             411  AU=NAMBA
              15  AU=TAKAAKI(2N)AU=NAMBA
               0  BY=TAKAAKI
               0  BY=NAMBA
               0  BY=TAKAAKI(2N)BY=NAMBA
      S1      75  AU=(NAMBA, T OR NAMBA T? OR TAKAAKI(2N)NAMBA) OR
                  BY=(TAKAAKI(2N)NAMBA)
```

? s TAKAAKI(2N)NAMBA

```
            5493  TAKAAKI
```

```
            2562  NAMBA
      S2      14  TAKAAKI(2N)NAMBA
```

? S AU=(matsuo, T OR matsuo T? OR takashi(2N)matsuo) OR BY=(takashi(2N)matsuo)

```
>>>One or more prefixes are unsupported
>>>  or undefined in one or more files.
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
              21  AU=MATSUO, T
            5287  AU=MATSUO T?
           35010  AU=TAKASHI
            2763  AU=MATSUO
              74  AU=TAKASHI(2N)AU=MATSUO
               1  BY=TAKASHI
               0  BY=MATSUO
               0  BY=TAKASHI(2N)BY=MATSUO
      S3    5308  AU=(MATSUO, T OR MATSUO T? OR TAKASHI(2N)MATSUO) OR
                  BY=(TAKASHI(2N)MATSUO)
```

? s TAKASHI(2N)MATSUO

```
           75980  TAKASHI
            8466  MATSUO
      S4     144  TAKASHI(2N)MATSUO
```

? S AU=(higashi, a OR higashi a? OR akio(2N)higashi) OR BY=(akio(2N)higashi)

```
>>>One or more prefixes are unsupported
>>>  or undefined in one or more files.
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
               2  AU=HIGASHI, A
             115  AU=HIGASHI A?
            7015  AU=AKIO
            1420  AU=HIGASHI
              42  AU=AKIO(2N)AU=HIGASHI
               1  BY=AKIO
               1  BY=HIGASHI
               0  BY=AKIO(2N)BY=HIGASHI
      S5     119  AU=(HIGASHI, A OR HIGASHI A? OR AKIO(2N)HIGASHI) OR
                  BY=(AKIO(2N)HIGASHI)
```

? s AKIO(2N)HIGASHI

```
           21440  AKIO
           18212  HIGASHI
      S6      37  AKIO(2N)HIGASHI
```

? S AU=(nakahara, T OR nakahara T? OR tohru(2N)nakahara) OR BY=(tohru(2N)nakahara)

```
>>>One or more prefixes are unsupported
>>>  or undefined in one or more files.
```

```
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
               6  AU=NAKAHARA, T
            2672  AU=NAKAHARA T?
            3176  AU=TOHRU
            1300  AU=NAKAHARA
              36  AU=TOHRU(2N)AU=NAKAHARA
               0  BY=TOHRU
               0  BY=NAKAHARA
               0  BY=TOHRU(2N)BY=NAKAHARA
      S7    2678  AU=(NAKAHARA, T OR NAKAHARA T? OR TOHRU(2N)NAKAHARA)
OR
                  BY=(TOHRU(2N)NAKAHARA)
```

? **s TOHRU(2N)NAKAHARA**

```
            5068  TOHRU
            5519  NAKAHARA
      S8      31  TOHRU(2N)NAKAHARA
```

? **S AU=(murakami, h OR murakami h? OR hiroki(2N)murakami) OR BY=(hiroki(2N)murakami)**

```
>>>One or more prefixes are unsupported
>>>  or undefined in one or more files.
>>>Input error: Numeric characters expected
>>>Input error: Numeric characters expected
              22  AU=MURAKAMI, H
            6967  AU=MURAKAMI H?
            6270  AU=HIROKI
            6922  AU=MURAKAMI
              55  AU=HIROKI(2N)AU=MURAKAMI
               0  BY=HIROKI
               1  BY=MURAKAMI
               0  BY=HIROKI(2N)BY=MURAKAMI
      S9    6990  AU=(MURAKAMI, H OR MURAKAMI H? OR HIROKI(2N)MURAKAMI)
OR
                  BY=(HIROKI(2N)MURAKAMI)
```

? **s HIROKI(2N)MURAKAMI**

```
           12186  HIROKI
           27976  MURAKAMI
     S10      65  HIROKI(2N)MURAKAMI
```

? **s pd<20010213**

Processing
Processing
Processing
Processing
Processing
Processing
Processing

Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing

Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
>>>One or more prefixes are unsupported
>>> or undefined in one or more files.
Processed 10 of 51 files ...
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processed 20 of 51 files ...
Processing
Processing
Processing
Processing
Processing

```
Processing
Processing
Processing
Processing
Processed  30 of  51 files ...
Processing
Processing
Processing
Processed  40 of  51 files ...
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processed  50 of  51 files ...
Completed processing all files
     S1190497634  PD<20010213

>>> Retrying request [1]
```

? s s11 and (s1 or s2 or s3 or s4 or s5 or s6 or s7 or s8 or s9 or s10)

```
Processing
Processing
Processing
Processing
Processing
Processed  40 of  51 files ...
Processing
Completed processing all files
        90497634  S11
              75  S1
              14  S2
            5308  S3
             144  S4
             119  S5
              37  S6
            2678  S7
              31  S8
            6990  S9
              65  S10
     S12   10249  S11 AND (S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8
OR
                  S9 OR S10)
```

? s s12 and ((distribute or distributes or distributed or distributing or distribution)(4n)(content or contents or music or musical or song or songs or media or multimedia))

Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
Processing
```
Processing
Processed  10 of  51 files ...
Processing
Processing
Processed  20 of  51 files ...
Processing
Processed  30 of  51 files ...
Processing
Processed  50 of  51 files ...
Completed processing all files
          10249  S12
        1425542  DISTRIBUTE
         886534  DISTRIBUTES
        5661176  DISTRIBUTED
         771737  DISTRIBUTING
       11360089  DISTRIBUTION
        7431415  CONTENT
        1390650  CONTENTS
        5582217  MUSIC
        1587687  MUSICAL
        1395360  SONG
        1140290  SONGS
       14923835  MEDIA
        2270814  MULTIMEDIA
        1251161  ((((DISTRIBUTE OR DISTRIBUTES) OR DISTRIBUTED) OR
                 DISTRIBUTING) OR DISTRIBUTION)(4N)(((((((CONTENT OR
                 CONTENTS) OR MUSIC) OR MUSICAL) OR SONG) OR SONGS) OR
                 MEDIA) OR MULTIMEDIA)
     S13       5  S12 AND ((DISTRIBUTE OR DISTRIBUTES OR DISTRIBUTED OR
                 DISTRIBUTING OR DISTRIBUTION)(4N)(CONTENT OR CONTENTS
OR
                 MUSIC OR MUSICAL OR SONG OR SONGS OR MEDIA OR
                 MULTIMEDIA))
```

? **t s13/3/all**

```
>>> Retrying request [1]
```
Dialog eLink: Order File History
13/3/1 (Item 1 from file: 347)
DIALOG(R)File 347: JAPIO

06382116 **Image available**
MOISTURE CONTENT DISTRIBUTION-MEASURING SYSTEM OF WET PAPER

Pub. No.: 11-323762 [JP 11323762 A]
Published: November 26, 1999 (**19991126**)
Inventor: HOSHI YOUNOSUKE
SANADA AKIRA
MATSUO TAKESHI
HONMA ICHIRO
Applicant: MITSUBISHI HEAVY IND LTD
Application No.: 10-132908 [JP 98132908]
Filed: May 15, 1998 (19980515)

13/3/2 (Item 2 from file: 347)
DIALOG(R)File 347: JAPIO

03025377 **Image available**
NONMAGNETIC TONER

Pub. No.: 02-000877 [JP 2000877 A]
Published: January 05, 1990 (**19900105**)
Inventor: SAKASHITA KIICHIRO
TANIGAWA HIROHIDE
YOSHIDA SATOSHI
NAKAHARA TOSHIAKI
MATSUSHIGE NAOKI
FUJIWARA MASAJI
MIHASHI YASUO
Applicant: CANON INC [000100] (A Japanese Company or Corporation), JP (Japan)
Application No.: 01-043877 [JP 8943877]
Filed: February 23, 1989 (19890223)
Journal: Section: P, Section No. 1020, Vol. 14, No. 129, Pg. 136, March 12, 1990 (19900312)

13/3/3 (Item 1 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

01223559

VERY THIN 2-PIECE CONTAINER STEEL SHEET EXCELLENT IN PUCKER RESISTANCE AT NECK DIAMETER REDUCTION AND IN EARING AND PRODUCTION METHOD THEREFOR

SEHR DUNNES, 2 TEILIGES BEHALTERSTAHLBLECH MIT HERVORRAGENDEN KRAUSEL- UND ZIPFELBILDUNGSEIGENSCHAFTEN BEI DER REDUKTION DES HALSTEILS UND VERFAHRE ZU DESSEN HERSTELLUNG

TOLE D'ACIER TRES MINCE DESTINEE A UN CONTENANT EN DEUX MORCEAUX, TRES RESISTANTE A LA FORMATION DE PLIS ET CORNES D'EMBOUTISSAGE LORS DE LA REDUCTION DU DIAMETRE DU COL, ET PROCEDE DE PRODUCTION ASSOCIE

Patent Assignee:

- **Nippon Steel Corporation**; (2343943)
  6-3, Otemachi-2-chome Chiyoda-ku; Tokyo 100-8071; (JP)
  (Applicant designated States: all)

Inventor:

- **MURAKAMI, Hidekuni, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)
- **SUEHIRO, Masayoshi, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)
- **TANAKA, Seiichi, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)
- **TAKESHITA, Tetsurou, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)
- **YOKOYA, Hirokazu, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)
- **CHICHIKI, Toru, Nippon Steel Corporation**
  Yawata Works, 1-1, Tobihata-cho, Tobata-ku; Kitakyushu City, Fukuoka 804-8501; (JP)

Legal Representative:

- **VOSSIUS & PARTNER (100314)**
  Siebertstrasse 4; 81675 Munchen; (DE)

	Country	Number	Kind	Date	
Patent	EP	1088905	A1	20010404	(Basic)
	WO	0063453		20001026	
Application	EP	915519		20000413	
	WO	00JP2426		20000413	
Priorities	JP	99112852		19990420	

Designated States:
DE; FR; GB; NL;

International Patent Class (V7): C22C-038/00; C22C-038/06; C21D-009/48**Abstract Word Count:** 240
NOTE: 1
NOTE: Figure number on first page: 1

Legal Status Type	Pub. Date	Kind	Text

Language Publication: English
Procedural: English
Application: Japanese

Fulltext Availability	Available Text	Language	Update	Word Count
CLAIMS A		(English)	200114	1080
SPEC A		(English)	200114	2976
Total Word Count (Document A) 4056				
Total Word Count (Document B) 0				
Total Word Count (All Documents) 4056				

13/3/4 (Item 2 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

01093602

Toner having negative triboelectric chargeability and image forming method
Toner mit negativer triboelektrischer Aufladbarkeit und Bildherstellungsverfahren
Revelateur ayant l' aptitude a etre charge negativement par voie triboelectrique et procede de production d' images

Patent Assignee:

- **CANON KABUSHIKI KAISHA**; (542361)
  30-2, 3-chome, Shimomaruko, Ohta-ku; Tokyo; (JP)
  (Proprietor designated states: all)

Inventor:

- **Matsunaga, Satoshi**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Nakahara, Toshiaki**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Mizoh, Yuichi**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Tanikawa, Hirohide**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Endo, Minekazu**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Doujo, Tadashi**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)
- **Shi Bayama, Nene**
  Canon Kabushiki Kaisha, 30-2, Shimomaruko 3-chome; Ohta-ku, Tokyo; (JP)

Legal Representative:

- **TBK-Patent (102382)**
  Bavariaring 4-6; 80336 Munchen; (DE)

	Country	Number	Kind	Date

	Country	Number	Kind	Date	
Patent	EP	961175	A2	19991201	(Basic)
	EP	961175	A3	20000419	
	EP	961175	B1	20060125	
Application	EP	99110131		19990525	
Priorities	JP	98143681		19980526	
	JP	98183458		19980630	
	JP	98216607		19980731	
	JP	98216608		19980731	
	JP	98346192		19981204	
	JP	98346087		19981204	

Designated States:
DE; FR; GB; IT;

Extended Designated States:
AL; LT; LV; MK; RO; SI;

International Patent Class (V7): G03G-009/097; G03G-009/087; G03G-009/08

International Classification (Version 8) IPC	Level	Value	Position	Status	Version	Action	Source	Office
G03G-0009/097	A	I	F	B	20060101	19990915	H	EP
G03G-0009/087	A	I	L	B	20060101	19990915	H	EP
G03G-0009/08	A	I	L	B	20060101	19990915	H	EP

Abstract Word Count: 165
NOTE: 4
NOTE: Figure number on first page: 4

Legal Status Type	Pub. Date	Kind	Text

Language Publication: English
Procedural: English
Application: English

Fulltext Availability	Available Text	Language	Update	Word Count
CLAIMS A		(English)	199948	6898
SPEC A		(English)	199948	28668
CLAIMS B		(English)	200604	3345
CLAIMS B		(German)	200604	3294
CLAIMS B		(French)	200604	3961

Fulltext Availability Available Text	Language	Update	Word Count
SPEC B	(English)	200604	28811
Total Word Count (Document A) 35575			
Total Word Count (Document B) 39411			
Total Word Count (All Documents) 74986			

13/3/5 (Item 3 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

00370259

Production of aluminium nitride powder by carboreductive nitridation.
Herstellung von Aluminiumnitridpulver durch karboreduktive Nitridierung.
Production de poudre de nitrure d'aliminium par nitruration carboreductrice.

Patent Assignee:

- **SUMITOMO CHEMICAL COMPANY, LIMITED**; (214349)
  5-33 Kitahama 4-chome Chuo-ku; Osaka-shi Osaka; (JP)
  (applicant designated states: DE;FR;GB)

Inventor:

- **Nakano, Kazuhiko**
  2-13-10, Amakubo; Tsukuba-shi Ibaraki; (JP)
- **Murase, Mitsutoshi**
  5-15, Hoshigoe-cho; Niihama-shi Ehime; (JP)
- **Matsuda, Norio**
  2-41-1, Kasuga; Tsukuba-shi Ibaraki; (JP)
- **Murakami, Hideaki**
  1-4-20, Hongou; Niihama-shi Ehime; (JP)

Legal Representative:

- **Diamond, Bryan Clive et al (30091)**
  Gee & Co., Chancery House, Chancery Lane; London WC2A 1QU; (GB)

	Country	Number	Kind	Date	
Patent	EP	372691	A1	19900613	(Basic)
	EP	372691	B1	19930728	
Application	EP	89310205		19891005	
Priorities	JP	88252774		19881005	
	JP	88252775		19881005	

Designated States:
DE; FR; GB;

International Patent Class (V7): C01B-021/072; H01L-021/48; C04B-035/58;
Abstract Word Count: 190

Legal Status Type	Pub. Date	Kind	Text

Language Publication: English
Procedural: English
Application: English

Fulltext Availability	Available Text	Language	Update	Word Count
CLAIMS B		(English)	EPBBF1	580
CLAIMS B		(German)	EPBBF1	250
CLAIMS B		(French)	EPBBF1	295
SPEC B		(English)	EPBBF1	5689
Total Word Count (Document A) 0				
Total Word Count (Document B) 6814				
Total Word Count (All Documents) 6814				

? **ds**

```
Set     Items   Description
S1         75   AU=(NAMBA, T OR NAMBA T? OR TAKAAKI(2N)NAMBA) OR
BY=(TAKAA-
             KI(2N)NAMBA)
S2         14   TAKAAKI(2N)NAMBA
S3       5308   AU=(MATSUO, T OR MATSUO T? OR TAKASHI(2N)MATSUO) OR
BY=(TA-
             KASHI(2N)MATSUO)
S4        144   TAKASHI(2N)MATSUO
S5        119   AU=(HIGASHI, A OR HIGASHI A? OR AKIO(2N)HIGASHI) OR
BY=(AK-
             IO(2N)HIGASHI)
```

```
S6          37   AKIO(2N)HIGASHI
S7        2678   AU=(NAKAHARA, T OR NAKAHARA T? OR TOHRU(2N)NAKAHARA) OR
BY-
               =(TOHRU(2N)NAKAHARA)
S8          31   TOHRU(2N)NAKAHARA
S9        6990   AU=(MURAKAMI, H OR MURAKAMI H? OR HIROKI(2N)MURAKAMI)
OR B-
               Y=(HIROKI(2N)MURAKAMI)
S10         65   HIROKI(2N)MURAKAMI
S11   90497634   PD<20010213
S12      10249   S11 AND (S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8
OR S9
                 OR S10)
S13          5   S12 AND ((DISTRIBUTE OR DISTRIBUTES OR DISTRIBUTED OR
DIST-
               RIBUTING OR DISTRIBUTION)(4N)(CONTENT OR CONTENTS OR MUSIC
OR
               MUSICAL OR SONG OR SONGS OR MEDIA OR MULTIMEDIA))
```

? **t s13/k/all**

```
>>> Retrying request [1]
```

13/K/1 (Item 1 from file: 347)
DIALOG(R)File 347: JAPIO

Image available

MOISTURE CONTENT DISTRIBUTION-MEASURING SYSTEM OF WET PAPER

...

Published: 19991126)

Inventor: HOSHI YOUNOSUKE
SANADA AKIRA
MATSUO TAKESHI
HONMA ICHIRO

ABSTRACT

PROBLEM TO BE SOLVED: To accurately and surely carry out measurement of moisture **content distribution** in paper thickness direction of wet paper by preventing interference due to flow of electric current between adjacent moisture **content** sensors in moisture **content distribution**-measuring system of wet paper.

SOLUTION: This moisture **content distribution**-measuring system of wet paper for measuring moisture **content distribution** in paper thickness direction of wet paper is equipped with a plurality of moisture content sensors 1-4 embedded at different paper thickness positions of... Di01

13/K/2 (Item 2 from file: 347)
DIALOG(R)File 347: JAPIO

...
Published: 19900105)
Inventor: SAKASHITA KIICHIRO
TANIGAWA HIROHIDE
YOSHIDA SATOSHI
NAKAHARA TOSHIAKI
MATSUSHIGE NAOKI
FUJIWARA MASAJI
MIHASHI YASUO

ABSTRACT
...the nonmagnetic toner for a two-component developer having high image densities and excellent fine line reproducibility and gradation characteristic by specifying the grain size, **content** and grain size **distribution** of the nonmagnetic toner particles... Di01

13/K/3 (Item 1 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

Inventor:

- **MURAKAMI, Hidekuni, Nippon Steel Corporation...**
  ; ;

Country	Number	Kind	Date

Legal Status Type	Pub. Date	Kind	Text

Language

Fulltext Availability	Available Text	Language	Update	Word Count
Total Word Count (Document A)				
Total Word Count (Document B)				
Total Word Count (All Documents)				

Specification: ...detail and obtained the result that the anti-wrinkling property can be evaluated by restricting the ratio of N existing as Al nitrides to N **content** or the size **distribution** of AlN and MnS. That is, according to the present invention, a steel sheet for a two-piece can with a thickness of 0.19mm...

13/K/4 (Item 2 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

Inventor:

- **...JP)**
  ; ;
- **Nakahara, Toshiaki...**
  ; ;

Country	Number	Kind	Date

Legal Status Type	Pub. Date	Kind	Text

Language

Fulltext Availability Available Text	Language	Update	Word Count
Total Word Count (Document A)			
Total Word Count (Document B)			
Total Word Count (All Documents)			

Specification: ...provide the resultant polyester binder resin with a rubber elasticity. As described hereinafter, the toner containing the organic zirconium compound contains a THF (tetrahydrofuran)-soluble **content** providing a molecular eight **distribution**, based on a GPC (gel permeation chromatography) chromatogram, including a component having a high molecular weight of at least 5x105) at a content of 3... ...component having molecular weights of at least 5x105) at a content of 3 - 25 %, preferably 5 - 22 %, more preferably 7 - 20 %.

In the molecular-weight **distribution** of the THF-soluble **content** based on the GPC, if a main peak is present in a molecular weight range below 3,000 (i.e., there is no main peak... ...main peak is present in a molecular weight range above 20,000, the low-temperature fixability of the toner is lowered.

In the molecular-weight **distribution** of the THF-soluble **content**, if the content of the component having molecular weights of at least 5x105) is below 3 %, the toner deposition on the fixing member surface is...component having molecular weights of a least 5x105) at a content of 3 - 25 %, preferably 5 - 22 %, more preferably 7 - 20 %.

In the molecular-weight **distribution** of the THF-soluble **content** based on the GPC, if a main peak is present in a molecular weight range below 3,000 (i.e., there is no main peak... ...main peak is present in a molecular weight range above 20,000, the low-temperature fixability of the toner is lowered.

In the molecular-weight **distribution** of the THF-soluble **content**, if the content of the component having molecular weights of at least 5x105) is below 3 %, the toner deposition on the fixing member surface is...B represents an acid value of the binder resin after contained in the toner and Av.S represents an acid value of the chloroform-soluble **content**.

(3) Molecular weight **distribution**

The molecular weight distribution of a binder resin as a toner material or a (THF (tetrahydrofuran)-soluble content in a toner is measured with respect...

Specification: ...provide the resultant polyester binder resin with a rubber elasticity. As described hereinafter, the toner containing the organic zirconium compound contains a THF (tetrahydrofuran)-soluble **content** providing a molecular weight **distribution**, based on a GPC (gel permeation chromatography) chromatogram, including a component having a high molecular weight of at least 5x105)) at a content of 3... ...component having molecular weights of at least 5x105)) at a content of 3 - 25 %, preferably 5 - 22 %, more preferably 7 - 20 %.

In the molecular-weight **distribution** of the THF-soluble **content** based on the GPC, if a main peak is present in a molecular weight range below 3,000 (i.e., there is no main peak... ...main peak is present in a molecular weight range above 20,000, the low-temperature fixability of the toner is lowered.

In the molecular-weight **distribution** of the THF-soluble **content**, if the content of the component having molecular weights of at least 5x105)) is below 3 %, the toner deposition on the fixing member surface is... ...component having molecular weights of a least 5x105)) at a content of 3 - 25 %, preferably 5 - 22 %, more preferably 7 - 20 %.

In the molecular-weight **distribution** of the THF-soluble **content** based on the GPC, if a main peak is present in a molecular weight range below 3,000 (i.e., there is no main peak... ...main peak is present in a molecular weight range above 20,000, the low-temperature fixability of the toner is lowered.

In the molecular-weight **distribution** of the THF-soluble **content**, if the content of the component having molecular weights of at least 5x105)) is below 3 %, the toner deposition on the fixing member surface is...B represents an acid value of the binder resin after contained in the toner and Av.S represents an acid value of the chloroform-soluble **content**.

(3) Molecular weight **distribution**

The molecular weight distribution of a binder resin as a toner material or a (THF (tetrahydrofuran)-soluble content in a toner is measured with respect...

13/K/5 (Item 3 from file: 348)
DIALOG(R)File 348: EUROPEAN PATENTS

Inventor:

- **...JP)**
  ; ;
- **Murakami, Hideaki...**
  ; ;

Country	Number	Kind	Date

Legal Status Type	Pub. Date	Kind	Text

Language

Fulltext Availability Available Text	Language	Update	Word Count
Total Word Count (Document A)			
Total Word Count (Document B)			
Total Word Count (All Documents)			

Specification: ...which contains small amounts of cation impurities, has a high tapped density, has less formation of coagulated particles, and which has a sharp particle size **distribution**, and **a** process for preparation of the same.

According to the present invention we provide a reductive nitriding process for preparing an aluminum nitride powder, by heating...This powder was a high-purity fine powder which is substantially freed of the formation of coagulated particles and which has a sharp particle size **distribution**.

The measurements of oxygen **content**, metal ion **content**, particle size **distribution**, and bulk density and tapped density were carried out by the impulse heat infrared absorption method (Model TC-436 of an oxygen-nitrogen simultaneous analysis... ...1902,

respectively. The respective measurements in the following Examples and Comparative Examples were carried out in the same manners as those described above.

To this **powder** were added as sintering **aids** 1% by **weight**, calculated as **CaO**, of calcium carbonate and 3% by weight, of yttrium oxide, and the mixture was press molded under a pressure of 1,500 kg/cm(sup...

? **ds**

Processing

```
Set     Items   Description
S1         75   AU=(NAMBA, T OR NAMBA T? OR TAKAAKI(2N)NAMBA) OR
BY=(TAKAA-
             KI(2N)NAMBA)
S2         14   TAKAAKI(2N)NAMBA
S3       5308   AU=(MATSUO, T OR MATSUO T? OR TAKASHI(2N)MATSUO) OR
BY=(TA-
             KASHI(2N)MATSUO)
S4        144   TAKASHI(2N)MATSUO
S5        119   AU=(HIGASHI, A OR HIGASHI A? OR AKIO(2N)HIGASHI) OR
BY=(AK-
             IO(2N)HIGASHI)
S6         37   AKIO(2N)HIGASHI
S7       2678   AU=(NAKAHARA, T OR NAKAHARA T? OR TOHRU(2N)NAKAHARA) OR
BY-
             =(TOHRU(2N)NAKAHARA)
S8         31   TOHRU(2N)NAKAHARA
S9       6990   AU=(MURAKAMI, H OR MURAKAMI H? OR HIROKI(2N)MURAKAMI)
OR B-
             Y=(HIROKI(2N)MURAKAMI)
S10        65   HIROKI(2N)MURAKAMI
S11  90497634   PD<20010213
S12     10249   S11 AND (S1 OR S2 OR S3 OR S4 OR S5 OR S6 OR S7 OR S8
OR S9
              OR S10)
S13         5   S12 AND ((DISTRIBUTE OR DISTRIBUTES OR DISTRIBUTED OR
DIST-
             RIBUTING OR DISTRIBUTION)(4N)(CONTENT OR CONTENTS OR MUSIC
OR
             MUSICAL OR SONG OR SONGS OR MEDIA OR MULTIMEDIA))
```